

CAMPBELL BIOLOGY CHAPTER 27 STUDY GUIDE

MASTERING CAMPBELL BIOLOGY CHAPTER 27: A COMPREHENSIVE STUDY GUIDE

CAMPBELL BIOLOGY CHAPTER 27 STUDY GUIDE IS YOUR GATEWAY TO UNDERSTANDING THE FASCINATING WORLD OF PROKARYOTES. THIS CHAPTER DELVES DEEP INTO THE EVOLUTIONARY SUCCESS AND DIVERSE ADAPTATIONS OF BACTERIA AND ARCHAEA, TWO DOMAINS OF LIFE THAT HAVE SHAPED OUR PLANET FOR BILLIONS OF YEARS. FROM THEIR CELLULAR STRUCTURES AND METABOLIC STRATEGIES TO THEIR ECOLOGICAL ROLES AND BIOTECHNOLOGICAL APPLICATIONS, MASTERING THIS MATERIAL IS CRUCIAL FOR ANY ASPIRING BIOLOGIST. THIS COMPREHENSIVE GUIDE WILL EQUIP YOU WITH THE KNOWLEDGE AND STUDY STRATEGIES NEEDED TO EXCEL, COVERING KEY CONCEPTS LIKE PROKARYOTIC CELL STRUCTURE, MODES OF NUTRITION, REPRODUCTION, GENETIC VARIATION, AND THEIR IMPACT ON EARTH'S ECOSYSTEMS. PREPARE TO UNLOCK THE SECRETS OF THESE UBIQUITOUS AND ESSENTIAL ORGANISMS.

INTRODUCTION TO PROKARYOTES

PROKARYOTIC STRUCTURE AND FUNCTION

METABOLIC DIVERSITY IN PROKARYOTES

REPRODUCTION AND GENETIC VARIATION

PROKARYOTIC DIVERSITY: BACTERIA

PROKARYOTIC DIVERSITY: ARCHAEA

ECOLOGICAL ROLES OF PROKARYOTES

PROKARYOTES IN BIOTECHNOLOGY AND MEDICINE

INTRODUCTION TO PROKARYOTES

PROKARYOTES, ENCOMPASSING BACTERIA AND ARCHAEA, REPRESENT THE EARLIEST FORMS OF LIFE ON EARTH. THEIR SIMPLE CELLULAR STRUCTURE, CHARACTERIZED BY THE ABSENCE OF A MEMBRANE-BOUND NUCLEUS AND OTHER ORGANELLES, BELIES THEIR IMMENSE EVOLUTIONARY SUCCESS AND ECOLOGICAL SIGNIFICANCE. THESE MICROORGANISMS INHABIT VIRTUALLY EVERY ENVIRONMENT IMAGINABLE, FROM THE DEEPEST OCEAN TRENCHES TO THE HIGHEST MOUNTAIN PEAKS, AND EVEN WITHIN OUR OWN BODIES. UNDERSTANDING THE FUNDAMENTAL PRINCIPLES OF PROKARYOTIC LIFE IS CENTRAL TO COMPREHENDING THE BROADER TAPESTRY OF BIOLOGICAL EVOLUTION AND THE INTRICATE WORKINGS OF ECOSYSTEMS.

THE SHEER ABUNDANCE AND METABOLIC VERSATILITY OF PROKARYOTES MAKE THEM INDISPENSABLE TO LIFE AS WE KNOW IT. THEY PLAY CRITICAL ROLES IN NUTRIENT CYCLING, DECOMPOSITION, AND SYMBIOSIS, INFLUENCING EVERYTHING FROM SOIL FERTILITY TO THE HEALTH OF OTHER ORGANISMS. THEIR RAPID REPRODUCTION RATES AND CAPACITY FOR GENETIC EXCHANGE ALSO CONTRIBUTE TO THEIR REMARKABLE ADAPTABILITY, ALLOWING THEM TO THRIVE IN CHANGING CONDITIONS AND EVOLVE QUICKLY. THIS CHAPTER PROVIDES A DETAILED EXPLORATION OF THESE FOUNDATIONAL LIFE FORMS.

PROKARYOTIC STRUCTURE AND FUNCTION

PROKARYOTIC CELLS, THOUGH LACKING THE COMPLEX INTERNAL COMPARTMENTALIZATION OF EUKARYOTES, POSSESS A REMARKABLE ARRAY OF SPECIALIZED STRUCTURES THAT ENABLE THEIR SURVIVAL AND FUNCTION. THE CELL WALL IS A DEFINING FEATURE, PROVIDING STRUCTURAL SUPPORT AND PROTECTION. ITS COMPOSITION VARIES BETWEEN BACTERIA (PEPTIDOGLYCAN) AND ARCHAEA (VARIOUS SUBSTANCES, BUT NOT PEPTIDOGLYCAN), A KEY DISTINCTION THAT REFLECTS THEIR EVOLUTIONARY DIVERGENCE.

CELL WALL COMPOSITION AND GRAM STAINING

THE COMPOSITION OF THE BACTERIAL CELL WALL IS CRITICAL IN DISTINGUISHING BETWEEN GRAM-POSITIVE AND GRAM-NEGATIVE BACTERIA. GRAM-POSITIVE BACTERIA HAVE A THICK LAYER OF PEPTIDOGLYCAN, WHICH RETAINS THE CRYSTAL VIOLET STAIN, APPEARING PURPLE UNDER A MICROSCOPE. IN CONTRAST, GRAM-NEGATIVE BACTERIA POSSESS A THINNER PEPTIDOGLYCAN LAYER

AND AN OUTER MEMBRANE CONTAINING LIPOPOLYSACCHARIDES. THIS OUTER MEMBRANE PREVENTS THE CRYSTAL VIOLET FROM PENETRATING EFFECTIVELY, AND THEY ARE COUNTERSTAINED BY SAFRANIN, APPEARING PINK.

APPENDAGES: FLAGELLA, FIMBRIAE, AND PILI

MANY PROKARYOTES POSSESS EXTERNAL APPENDAGES THAT FACILITATE MOVEMENT, ATTACHMENT, AND GENETIC EXCHANGE. PROKARYOTIC FLAGELLA ARE PROTEIN FILAMENTS THAT ROTATE, ENABLING MOTILITY THROUGH AQUEOUS ENVIRONMENTS. FIMBRIAE ARE SHORT, HAIR-LIKE STRUCTURES THAT ALLOW CELLS TO ADHERE TO SURFACES OR TO OTHER CELLS, CRUCIAL FOR ESTABLISHING COLONIES AND BIOFILMS. PILI, OFTEN LONGER THAN FIMBRIAE, ARE INVOLVED IN CONJUGATION, A PROCESS OF DNA TRANSFER BETWEEN PROKARYOTIC CELLS.

INTERNAL STRUCTURES: NUCLEOID, RIBOSOMES, AND PLASMIDS

INSIDE THE PROKARYOTIC CELL, THE GENETIC MATERIAL IS CONCENTRATED IN A REGION CALLED THE NUCLEOID, WHICH LACKS A SURROUNDING MEMBRANE. PROKARYOTIC RIBOSOMES ARE RESPONSIBLE FOR PROTEIN SYNTHESIS AND ARE STRUCTURALLY DIFFERENT FROM EUKARYOTIC RIBOSOMES, A TARGET FOR SOME ANTIBIOTICS. MANY PROKARYOTES ALSO CONTAIN PLASMIDS, SMALL, CIRCULAR DNA MOLECULES THAT OFTEN CARRY GENES CONFERRING ADVANTAGEOUS TRAITS, SUCH AS ANTIBIOTIC RESISTANCE, AND CAN BE TRANSFERRED BETWEEN CELLS.

METABOLIC DIVERSITY IN PROKARYOTES

THE METABOLIC DIVERSITY OF PROKARYOTES IS ASTOUNDING, ALLOWING THEM TO UTILIZE A VAST RANGE OF ENERGY AND CARBON SOURCES. THIS ADAPTABILITY IS A CORNERSTONE OF THEIR ECOLOGICAL SUCCESS AND THEIR ABILITY TO DRIVE CRUCIAL BIOGEOCHEMICAL CYCLES. UNDERSTANDING THESE DIFFERENT METABOLIC STRATEGIES IS KEY TO APPRECIATING THEIR ROLE IN VARIOUS ENVIRONMENTS.

ENERGY SOURCES: PHOTOTROPHS AND CHEMOTROPHS

PROKARYOTES CAN OBTAIN ENERGY FROM LIGHT (PHOTOTROPHS) OR FROM CHEMICAL COMPOUNDS (CHEMOTROPHS). PHOTOTROPHS HARNESS LIGHT ENERGY THROUGH PHOTOSYNTHESIS, SIMILAR TO PLANTS, THOUGH WITH DIVERSE PHOTOSYNTHETIC PIGMENTS AND ELECTRON TRANSPORT CHAINS. CHEMOTROPHS DERIVE ENERGY FROM OXIDIZING INORGANIC OR ORGANIC SUBSTANCES. THIS BROAD CLASSIFICATION CAPTURES THE FUNDAMENTAL WAYS PROKARYOTES CAPTURE ENERGY.

CARBON SOURCES: AUTOTROPHS AND HETEROTROPHS

REGARDING CARBON SOURCES, PROKARYOTES ARE ALSO DIVERSE. AUTOTROPHS CAN SYNTHESIZE THEIR OWN ORGANIC COMPOUNDS FROM INORGANIC SOURCES, PRIMARILY CARBON DIOXIDE. PHOTOAUTOTROPHS USE LIGHT ENERGY FOR THIS PROCESS, WHILE CHEMOAUTOTROPHS USE CHEMICAL ENERGY. HETEROTROPHS, ON THE OTHER HAND, OBTAIN CARBON FROM PRE-EXISTING ORGANIC MOLECULES, MUCH LIKE ANIMALS AND FUNGI.

OXYGEN REQUIREMENTS: AEROBES, ANAEROBES, AND FACULTATIVE ANAEROBES

PROKARYOTES EXHIBIT VARIED RESPONSES TO OXYGEN. OBLIGATE AEROBES REQUIRE OXYGEN FOR CELLULAR RESPIRATION. OBLIGATE ANAEROBES ARE POISONED BY OXYGEN AND USE ANAEROBIC RESPIRATION OR FERMENTATION. FACULTATIVE ANAEROBES CAN SURVIVE WITH OR WITHOUT OXYGEN, SWITCHING THEIR METABOLIC PATHWAYS ACCORDINGLY. THIS ADAPTABILITY ALLOWS THEM TO COLONIZE A WIDE SPECTRUM OF OXYGEN AVAILABILITY.

REPRODUCTION AND GENETIC VARIATION

PROKARYOTES TYPICALLY REPRODUCE ASEXUALLY THROUGH BINARY FISSION, A RAPID PROCESS THAT ALLOWS FOR EXPONENTIAL POPULATION GROWTH. HOWEVER, TO MAINTAIN GENETIC DIVERSITY IN THE FACE OF SUCH RAPID REPRODUCTION, THEY HAVE EVOLVED SEVERAL MECHANISMS FOR GENETIC RECOMBINATION.

BINARY FISSION

BINARY FISSION IS A FORM OF ASEXUAL REPRODUCTION WHERE A PROKARYOTIC CELL DIVIDES INTO TWO IDENTICAL DAUGHTER CELLS. THE PROCESS BEGINS WITH DNA REPLICATION, FOLLOWED BY THE ELONGATION OF THE CELL AND THE FORMATION OF A SEPTUM THAT DIVIDES THE CYTOPLASM. THIS EFFICIENT METHOD ENABLES RAPID COLONIZATION OF FAVORABLE ENVIRONMENTS.

MECHANISMS OF GENETIC RECOMBINATION

WHILE BINARY FISSION CREATES CLONES, GENETIC VARIATION IS CRUCIAL FOR ADAPTATION. PROKARYOTES ACHIEVE THIS THROUGH THREE MAIN MECHANISMS:

- **TRANSFORMATION:** THE UPTAKE OF FOREIGN DNA FROM THE ENVIRONMENT.
- **TRANSDUCTION:** THE TRANSFER OF BACTERIAL DNA FROM ONE BACTERIUM TO ANOTHER BY A VIRUS (BACTERIOPHAGE).
- **CONJUGATION:** THE DIRECT TRANSFER OF DNA FROM ONE BACTERIUM TO ANOTHER THROUGH CELL-TO-CELL CONTACT, OFTEN MEDIATED BY PILI.

THESE PROCESSES ALLOW FOR THE SHUFFLING AND EXCHANGE OF GENETIC MATERIAL, CONTRIBUTING TO THE REMARKABLE EVOLUTIONARY POTENTIAL OF PROKARYOTIC POPULATIONS.

PROKARYOTIC DIVERSITY: BACTERIA

THE DOMAIN BACTERIA IS INCREDIBLY DIVERSE, WITH THOUSANDS OF RECOGNIZED SPECIES EXHIBITING A WIDE RANGE OF SHAPES, METABOLIC STRATEGIES, AND ECOLOGICAL ROLES. THEY ARE FOUND IN ALMOST EVERY HABITAT ON EARTH AND ARE ESSENTIAL FOR MANY BIOLOGICAL PROCESSES.

KEY BACTERIAL PHYLA AND THEIR CHARACTERISTICS

SEVERAL MAJOR PHYLA OF BACTERIA ARE RECOGNIZED, EACH WITH DISTINCTIVE CHARACTERISTICS. FOR INSTANCE, PROTEOBACTERIA ARE A VERY LARGE AND METABOLICALLY DIVERSE GROUP, INCLUDING MANY PATHOGENS. CYANOBACTERIA ARE KNOWN FOR THEIR PHOTOSYNTHETIC CAPABILITIES, OXYGENATING THE ATMOSPHERE EARLY IN EARTH'S HISTORY. ACTINOBACTERIA ARE OFTEN FOUND IN SOIL AND ARE KNOWN FOR PRODUCING ANTIBIOTICS. FIRMICUTES INCLUDE IMPORTANT GENERA LIKE BACILLUS AND CLOSTRIDIUM, SOME OF WHICH FORM ENDOSPORES.

PATHOGENIC BACTERIA

WHILE MANY BACTERIA ARE HARMLESS OR BENEFICIAL, SOME ARE PATHOGENIC, CAUSING DISEASES IN HUMANS AND OTHER ORGANISMS. UNDERSTANDING THE MECHANISMS BY WHICH THESE BACTERIA CAUSE DISEASE, THEIR MODES OF TRANSMISSION, AND EFFECTIVE TREATMENTS IS A MAJOR FOCUS IN MICROBIOLOGY AND MEDICINE. EXAMPLES INCLUDE ESCHERICHIA COLI (SOME STRAINS), STAPHYLOCOCCUS AUREUS, AND STREPTOCOCCUS PNEUMONIAE.

PROKARYOTIC DIVERSITY: ARCHAEA

ARCHAEA ARE ANOTHER DISTINCT DOMAIN OF PROKARYOTES THAT OFTEN INHABIT EXTREME ENVIRONMENTS, EARNING THEM THE MONIKER "EXTREMOPHILES." DESPITE THEIR PROKARYOTIC CELL STRUCTURE, MOLECULAR AND BIOCHEMICAL EVIDENCE REVEALS THEY ARE MORE CLOSELY RELATED TO EUKARYOTES THAN TO BACTERIA, REPRESENTING A SIGNIFICANT BRANCH OF THE TREE OF LIFE.

EXTREMOPHILES AND THEIR ADAPTATIONS

MANY ARCHAEA THRIVE IN CONDITIONS THAT WOULD BE LETHAL TO MOST OTHER ORGANISMS. THESE INCLUDE EXTREME TEMPERATURES (THERMOPHILES), HIGH SALT CONCENTRATIONS (HALOPHILES), AND ACIDIC OR ALKALINE ENVIRONMENTS (ACIDOPHILES AND ALKALIPHILES). THEIR UNIQUE ENZYMES AND CELL MEMBRANE STRUCTURES ARE ADAPTED TO THESE HARSH CONDITIONS, ALLOWING THEM TO FLOURISH WHERE OTHERS CANNOT.

NOTABLE ARCHAEOAN GROUPS

KEY GROUPS OF ARCHAEA INCLUDE THE EURYARCHAEOTA, WHICH ENCOMPASS METHANOGENS (PRODUCING METHANE AS A METABOLIC BYPRODUCT) AND HALOBACTERIA. THE CRENARCHAEOTA AND THAUMARCHAEOTA ARE ALSO IMPORTANT, WITH MANY SPECIES FOUND IN DIVERSE ENVIRONMENTS, INCLUDING HYDROTHERMAL VENTS AND SOILS.

ECOLOGICAL ROLES OF PROKARYOTES

PROKARYOTES ARE FUNDAMENTAL TO THE FUNCTIONING OF ALMOST ALL ECOSYSTEMS ON EARTH, PLAYING INDISPENSABLE ROLES IN NUTRIENT CYCLING AND DECOMPOSITION. THEIR METABOLIC ACTIVITIES INFLUENCE THE AVAILABILITY OF ESSENTIAL ELEMENTS FOR ALL LIFE.

NUTRIENT CYCLING

PROKARYOTES ARE CENTRAL TO THE GLOBAL CYCLING OF VITAL ELEMENTS SUCH AS CARBON, NITROGEN, PHOSPHORUS, AND SULFUR. FOR EXAMPLE, NITROGEN-FIXING BACTERIA CONVERT ATMOSPHERIC NITROGEN GAS INTO FORMS USABLE BY PLANTS. DECOMPOSERS, A VAST ARRAY OF BACTERIA AND ARCHAEA, BREAK DOWN DEAD ORGANIC MATTER, RELEASING NUTRIENTS BACK INTO THE ENVIRONMENT. NITRIFYING AND DENITRIFYING BACTERIA ARE CRUCIAL FOR THE NITROGEN CYCLE'S CONTINUOUS OPERATION.

SYMBIOTIC RELATIONSHIPS

PROKARYOTES ENGAGE IN A MULTITUDE OF SYMBIOTIC RELATIONSHIPS WITH OTHER ORGANISMS. MUTUALISTIC RELATIONSHIPS, WHERE BOTH PARTNERS BENEFIT, ARE COMMON. FOR INSTANCE, BACTERIA IN THE HUMAN GUT AID IN DIGESTION AND PRODUCE VITAMINS. MYCORRHIZAL FUNGI, WHICH FORM SYMBIOTIC ASSOCIATIONS WITH PLANT ROOTS, OFTEN HAVE ASSOCIATED BACTERIA THAT ENHANCE NUTRIENT UPTAKE. PARASITIC AND COMMENSALISTIC RELATIONSHIPS ALSO EXIST, HIGHLIGHTING THE COMPLEX WEB OF INTERACTIONS INVOLVING PROKARYOTES.

PROKARYOTES IN BIOTECHNOLOGY AND MEDICINE

BEYOND THEIR ECOLOGICAL ROLES, PROKARYOTES ARE INVALUABLE TOOLS IN BIOTECHNOLOGY AND ARE CRITICAL IN UNDERSTANDING AND COMBATING DISEASES. THEIR RAPID GROWTH, GENETIC TRACTABILITY, AND DIVERSE METABOLIC

CAPABILITIES MAKE THEM IDEAL FOR NUMEROUS APPLICATIONS.

INDUSTRIAL APPLICATIONS

PROKARYOTES ARE USED IN THE PRODUCTION OF A WIDE ARRAY OF PRODUCTS, INCLUDING ANTIBIOTICS, VITAMINS, ENZYMES, AND BIOFUELS. GENETICALLY ENGINEERED BACTERIA ARE EMPLOYED TO SYNTHESIZE THERAPEUTIC PROTEINS LIKE INSULIN AND GROWTH HORMONE. THEY ARE ALSO USED IN BIOREMEDIATION, THE PROCESS OF USING LIVING ORGANISMS TO CLEAN UP POLLUTION, BY BREAKING DOWN TOXIC SUBSTANCES IN CONTAMINATED SOIL AND WATER.

IMPACT ON HUMAN HEALTH

THE HUMAN MICROBIOME, COMPOSED OF TRILLIONS OF PROKARYOTIC CELLS LIVING IN AND ON OUR BODIES, PLAYS A CRUCIAL ROLE IN HEALTH. THESE MICROBES INFLUENCE DIGESTION, IMMUNE SYSTEM DEVELOPMENT, AND EVEN MOOD. UNDERSTANDING THE MICROBIOME'S COMPOSITION AND FUNCTION IS A RAPIDLY GROWING AREA OF RESEARCH, WITH IMPLICATIONS FOR TREATING A WIDE RANGE OF HEALTH CONDITIONS, FROM INFLAMMATORY BOWEL DISEASE TO OBESITY.

FURTHERMORE, THE STUDY OF PROKARYOTES HAS LED TO THE DEVELOPMENT OF ESSENTIAL MEDICAL INTERVENTIONS, INCLUDING VACCINES AND ANTIBIOTICS, WHICH HAVE REVOLUTIONIZED PUBLIC HEALTH AND DRAMATICALLY INCREASED HUMAN LIFESPAN. WHILE ANTIBIOTIC RESISTANCE POSES A SIGNIFICANT CHALLENGE, THE CONTINUOUS RESEARCH INTO PROKARYOTIC BIOLOGY REMAINS VITAL FOR DEVELOPING NEW STRATEGIES TO COMBAT INFECTIOUS DISEASES.

Q: WHAT ARE THE MAIN DIFFERENCES BETWEEN BACTERIA AND ARCHAEA?

A: THE MAIN DIFFERENCES LIE IN THEIR CELL WALL COMPOSITION (BACTERIA HAVE PEPTIDOGLYCAN, ARCHAEA DO NOT), THEIR GENETIC MAKEUP (DIFFERENT RIBOSOMAL RNA SEQUENCES), AND THEIR EVOLUTIONARY HISTORY. ARCHAEA ARE ALSO OFTEN FOUND IN EXTREME ENVIRONMENTS, ALTHOUGH THIS IS NOT EXCLUSIVE TO THEM.

Q: HOW DOES GRAM STAINING HELP IDENTIFY BACTERIA?

A: GRAM STAINING DIFFERENTIATES BACTERIA BASED ON THE STRUCTURE OF THEIR CELL WALLS. GRAM-POSITIVE BACTERIA RETAIN THE CRYSTAL VIOLET STAIN AND APPEAR PURPLE, WHILE GRAM-NEGATIVE BACTERIA LOSE THE STAIN AND ARE COUNTERSTAINED PINK BY SAFRANIN. THIS DISTINCTION IS CRUCIAL FOR INITIAL IDENTIFICATION AND GUIDES ANTIBIOTIC TREATMENT CHOICES.

Q: WHAT ARE PLASMIDS AND WHY ARE THEY IMPORTANT?

A: PLASMIDS ARE SMALL, CIRCULAR DNA MOLECULES FOUND IN THE CYTOPLASM OF MANY PROKARYOTES, SEPARATE FROM THE MAIN CHROMOSOME. THEY OFTEN CARRY GENES THAT PROVIDE ADVANTAGEOUS TRAITS, SUCH AS ANTIBIOTIC RESISTANCE, VIRULENCE FACTORS, OR THE ABILITY TO METABOLIZE UNUSUAL SUBSTANCES. PLASMIDS CAN BE TRANSFERRED BETWEEN BACTERIA, FACILITATING THE SPREAD OF THESE TRAITS.

Q: WHAT IS THE ROLE OF ENDOSPORES IN BACTERIA?

A: ENDOSPORES ARE RESILIENT, DORMANT STRUCTURES PRODUCED BY SOME BACTERIA (LIKE *BACILLUS* AND *CLOSTRIDIUM*) UNDER HARSH ENVIRONMENTAL CONDITIONS. THEY ARE HIGHLY RESISTANT TO HEAT, RADIATION, CHEMICALS, AND DEHYDRATION, ALLOWING THE BACTERIUM TO SURVIVE UNTIL FAVORABLE CONDITIONS RETURN, AT WHICH POINT THEY GERMINATE BACK INTO ACTIVE CELLS.

Q: CAN PROKARYOTES PERFORM PHOTOSYNTHESIS?

A: YES, SOME PROKARYOTES CAN PERFORM PHOTOSYNTHESIS. CYANOBACTERIA ARE A WELL-KNOWN EXAMPLE OF PHOTOSYNTHETIC BACTERIA THAT PRODUCE OXYGEN. OTHER TYPES OF PHOTOSYNTHETIC BACTERIA USE DIFFERENT PIGMENTS AND ELECTRON DONORS, AND MAY NOT PRODUCE OXYGEN.

Q: WHAT IS BIOREMEDIATION?

A: BIOREMEDIATION IS A PROCESS THAT USES LIVING ORGANISMS, PARTICULARLY MICROORGANISMS LIKE BACTERIA AND FUNGI, TO DEGRADE OR DETOXYFY ENVIRONMENTAL POLLUTANTS. PROKARYOTES ARE EMPLOYED TO BREAK DOWN OIL SPILLS, INDUSTRIAL WASTE, AND OTHER CONTAMINANTS, HELPING TO RESTORE POLLUTED ECOSYSTEMS.

Q: HOW DO PROKARYOTES CONTRIBUTE TO THE NITROGEN CYCLE?

A: PROKARYOTES ARE ESSENTIAL FOR THE NITROGEN CYCLE. NITROGEN-FIXING BACTERIA CONVERT ATMOSPHERIC NITROGEN GAS (N_2) INTO AMMONIA (NH_3), A FORM USABLE BY PLANTS. NITRIFYING BACTERIA CONVERT AMMONIA INTO NITRATES, AND DENITRIFYING BACTERIA CONVERT NITRATES BACK INTO NITROGEN GAS, COMPLETING THE CYCLE.

Q: WHAT ARE BIOFILMS AND WHY ARE THEY SIGNIFICANT?

A: BIOFILMS ARE COMMUNITIES OF MICROORGANISMS, INCLUDING BACTERIA, THAT ARE ENCASED IN A SELF-PRODUCED MATRIX OF EXTRACELLULAR POLYMERIC SUBSTANCES AND ADHERE TO A SURFACE. THEY ARE SIGNIFICANT BECAUSE THEY PROTECT THE BACTERIA FROM ANTIBIOTICS, HOST IMMUNE RESPONSES, AND ENVIRONMENTAL STRESSES, MAKING INFECTIONS ASSOCIATED WITH BIOFILMS DIFFICULT TO TREAT.

Q: WHY IS METABOLIC DIVERSITY A KEY FEATURE OF PROKARYOTES?

A: METABOLIC DIVERSITY ALLOWS PROKARYOTES TO COLONIZE NEARLY EVERY HABITAT ON EARTH BY ENABLING THEM TO UTILIZE A VAST ARRAY OF ENERGY AND CARBON SOURCES. THIS ADAPTABILITY IS FUNDAMENTAL TO THEIR EVOLUTIONARY SUCCESS AND THEIR CRITICAL ROLES IN ECOSYSTEM FUNCTIONING, SUCH AS NUTRIENT CYCLING.

[Campbell Biology Chapter 27 Study Guide](#)

Campbell Biology Chapter 27 Study Guide

Related Articles

- [campbell biology chapter 89 graphs us](#)
- [campbell biology chapter 91 us](#)
- [campbell biology chapter 7 us](#)

[Back to Home](#)