

COLLEGE ALGEBRA EXAMPLES SEQUENCES SERIES

UNDERSTANDING COLLEGE ALGEBRA EXAMPLES: SEQUENCES AND SERIES

COLLEGE ALGEBRA EXAMPLES SEQUENCES SERIES ARE FUNDAMENTAL CONCEPTS THAT OFTEN PRESENT A UNIQUE CHALLENGE FOR STUDENTS. MASTERING THESE TOPICS IS CRUCIAL FOR BUILDING A STRONG FOUNDATION IN MATHEMATICS, AS THEY APPEAR NOT ONLY IN ADVANCED ALGEBRA BUT ALSO IN CALCULUS, STATISTICS, AND VARIOUS SCIENTIFIC DISCIPLINES. THIS ARTICLE DELVES INTO THE CORE ASPECTS OF SEQUENCES AND SERIES, PROVIDING CLEAR EXPLANATIONS AND ILLUSTRATIVE EXAMPLES TO DEMYSTIFY THESE MATHEMATICAL TOOLS. WE WILL EXPLORE THE DEFINITIONS, DIFFERENT TYPES OF SEQUENCES AND SERIES, AND HOW TO CALCULATE THEIR SUMS AND PROPERTIES, EQUIPPING YOU WITH THE KNOWLEDGE TO CONFIDENTLY TACKLE COLLEGE ALGEBRA PROBLEMS INVOLVING THESE SUBJECTS.

TABLE OF CONTENTS

WHAT ARE SEQUENCES?

TYPES OF SEQUENCES

ARITHMETIC SEQUENCES

GEOMETRIC SEQUENCES

WHAT ARE SERIES?

TYPES OF SERIES

ARITHMETIC SERIES

GEOMETRIC SERIES

INFINITE GEOMETRIC SERIES

CONVERGENCE AND DIVERGENCE OF SERIES

APPLICATIONS OF SEQUENCES AND SERIES

WHAT ARE SEQUENCES?

A SEQUENCE, IN THE REALM OF COLLEGE ALGEBRA, IS ESSENTIALLY AN ORDERED LIST OF NUMBERS. EACH NUMBER IN THE LIST IS CALLED A TERM, AND SEQUENCES ARE OFTEN DENOTED BY USING SUBSCRIPTS TO INDICATE THE POSITION OF EACH TERM. FOR INSTANCE, A SEQUENCE MIGHT BE REPRESENTED AS $a_1, a_2, a_3, \dots, a_n, \dots$, WHERE a_1 IS THE FIRST TERM, a_2 IS THE SECOND TERM, AND SO ON. THE PATTERN GOVERNING THE PROGRESSION OF THESE NUMBERS IS KEY TO UNDERSTANDING AND WORKING WITH SEQUENCES. THIS PATTERN CAN BE EXPRESSED THROUGH A FORMULA, OFTEN CALLED THE GENERAL TERM OR n -TH TERM FORMULA, WHICH ALLOWS US TO FIND ANY TERM IN THE SEQUENCE WITHOUT HAVING TO LIST ALL THE PRECEDING ONES. FOR EXAMPLE, IF THE GENERAL TERM OF A SEQUENCE IS $a_n = 2n + 1$, THE FIRST FEW TERMS WOULD BE $a_1 = 2(1) + 1 = 3$, $a_2 = 2(2) + 1 = 5$, $a_3 = 2(3) + 1 = 7$, AND SO ON, FORMING THE SEQUENCE 3, 5, 7, ...

THE CONCEPT OF A SEQUENCE IS BROAD AND ENCOMPASSES MANY DIFFERENT MATHEMATICAL STRUCTURES. SOME SEQUENCES ARE FINITE, MEANING THEY HAVE A LIMITED NUMBER OF TERMS, WHILE OTHERS ARE INFINITE, CONTINUING INDEFINITELY. THE RULES THAT DEFINE HOW TERMS ARE GENERATED ARE VARIED, LEADING TO DIFFERENT CLASSIFICATIONS OF SEQUENCES. UNDERSTANDING THESE CLASSIFICATIONS IS VITAL FOR APPLYING THE CORRECT METHODS FOR ANALYSIS AND CALCULATION. IN COLLEGE ALGEBRA, THE FOCUS IS OFTEN ON IDENTIFYING THESE PATTERNS AND USING THEM TO PREDICT FUTURE TERMS OR TO UNDERSTAND THE OVERALL BEHAVIOR OF THE SEQUENCE.

TYPES OF SEQUENCES

SEQUENCES CAN BE CATEGORIZED BASED ON THE RELATIONSHIP BETWEEN CONSECUTIVE TERMS. THE MOST COMMON TYPES ENCOUNTERED IN COLLEGE ALGEBRA ARE ARITHMETIC SEQUENCES AND GEOMETRIC SEQUENCES, EACH DEFINED BY A DISTINCT RULE OF PROGRESSION. BEYOND THESE, OTHER TYPES EXIST, SUCH AS RECURSIVE SEQUENCES WHERE EACH TERM IS DEFINED IN RELATION TO PREVIOUS TERMS, OR SEQUENCES DEFINED BY MORE COMPLEX FUNCTIONAL RELATIONSHIPS. RECOGNIZING THE TYPE OF SEQUENCE IS THE FIRST STEP IN SOLVING PROBLEMS RELATED TO IT.

THE ABILITY TO DIFFERENTIATE BETWEEN VARIOUS SEQUENCE TYPES ALLOWS FOR THE APPLICATION OF SPECIFIC FORMULAS AND THEOREMS. FOR EXAMPLE, AN ARITHMETIC SEQUENCE IS CHARACTERIZED BY A CONSTANT DIFFERENCE BETWEEN SUCCESSIVE TERMS, WHILE A GEOMETRIC SEQUENCE IS DEFINED BY A CONSTANT RATIO BETWEEN SUCCESSIVE TERMS. UNDERSTANDING THESE FUNDAMENTAL DIFFERENCES IS CRUCIAL FOR ACCURATE PROBLEM-SOLVING IN COLLEGE ALGEBRA.

ARITHMETIC SEQUENCES

AN ARITHMETIC SEQUENCE IS A SEQUENCE OF NUMBERS SUCH THAT THE DIFFERENCE BETWEEN CONSECUTIVE TERMS IS CONSTANT. THIS CONSTANT DIFFERENCE IS CALLED THE COMMON DIFFERENCE, OFTEN DENOTED BY d . TO FIND THE NEXT TERM IN AN ARITHMETIC SEQUENCE, YOU SIMPLY ADD THE COMMON DIFFERENCE TO THE CURRENT TERM. FOR EXAMPLE, IN THE SEQUENCE 2, 5, 8, 11, ..., THE COMMON DIFFERENCE IS $d = 5 - 2 = 3$, $8 - 5 = 3$, AND SO ON. THE FORMULA FOR THE n -TH TERM OF AN ARITHMETIC SEQUENCE IS GIVEN BY $a_n = a_1 + (n-1)d$, WHERE a_1 IS THE FIRST TERM AND d IS THE COMMON DIFFERENCE.

LET'S CONSIDER A COLLEGE ALGEBRA EXAMPLE OF AN ARITHMETIC SEQUENCE. IF THE FIRST TERM (a_1) IS 7 AND THE COMMON DIFFERENCE (d) IS -4, THE SEQUENCE BEGINS AS 7, 3, -1, -5, ... USING THE FORMULA $a_n = a_1 + (n-1)d$, WE CAN FIND THE 10TH TERM: $a_{10} = 7 + (10-1)(-4) = 7 + 9(-4) = 7 - 36 = -29$. THUS, THE 10TH TERM OF THIS SEQUENCE IS -29. UNDERSTANDING AND APPLYING THIS FORMULA IS A CORE SKILL FOR WORKING WITH ARITHMETIC SEQUENCES.

GEOMETRIC SEQUENCES

A GEOMETRIC SEQUENCE IS A SEQUENCE OF NUMBERS WHERE EACH TERM AFTER THE FIRST IS FOUND BY MULTIPLYING THE PREVIOUS ONE BY A FIXED, NON-ZERO NUMBER CALLED THE COMMON RATIO, DENOTED BY r . UNLIKE ARITHMETIC SEQUENCES WHERE A DIFFERENCE IS ADDED, IN GEOMETRIC SEQUENCES, A RATIO IS MULTIPLIED. FOR INSTANCE, IN THE SEQUENCE 3, 6, 12, 24, ..., THE COMMON RATIO IS $r = 6/3 = 2$, $12/6 = 2$, AND SO ON. THE FORMULA FOR THE n -TH TERM OF A GEOMETRIC SEQUENCE IS $a_n = a_1 \cdot r^{n-1}$, WHERE a_1 IS THE FIRST TERM AND r IS THE COMMON RATIO.

AS A COLLEGE ALGEBRA EXAMPLE, CONSIDER A GEOMETRIC SEQUENCE WITH A FIRST TERM (a_1) OF 5 AND A COMMON RATIO (r) OF 3. THE SEQUENCE STARTS: 5, 15, 45, 135, ... TO FIND THE 7TH TERM, WE USE THE FORMULA $a_7 = a_1 \cdot r^{7-1} = 5 \cdot 3^6$. CALCULATING $3^6 = 729$, WE GET $a_7 = 5 \cdot 729 = 3645$. THIS DEMONSTRATES HOW THE COMMON RATIO RAPIDLY INFLUENCES THE GROWTH OF THE TERMS IN A GEOMETRIC SEQUENCE. IDENTIFYING AND UTILIZING THIS FORMULA IS ESSENTIAL FOR GEOMETRIC SEQUENCE PROBLEMS.

WHAT ARE SERIES?

A SERIES IS THE SUM OF THE TERMS OF A SEQUENCE. WHILE A SEQUENCE IS A LIST OF NUMBERS, A SERIES REPRESENTS THE OPERATION OF ADDING THOSE NUMBERS TOGETHER. SERIES ARE TYPICALLY DENOTED USING SIGMA NOTATION, $\sum$, WHICH PROVIDES A COMPACT WAY TO EXPRESS THE SUM OF A SPECIFIED NUMBER OF TERMS OR AN INFINITE NUMBER OF TERMS. FOR EXAMPLE, IF WE HAVE THE SEQUENCE $a_1, a_2, a_3, \dots$, THE CORRESPONDING SERIES WOULD BE $S = a_1 + a_2 + a_3 + \dots$. THE SUM OF THE FIRST n TERMS OF A SEQUENCE IS OFTEN DENOTED BY S_n . UNDERSTANDING THE DISTINCTION BETWEEN A SEQUENCE AND ITS ASSOCIATED SERIES IS FUNDAMENTAL.

THE STUDY OF SERIES IN COLLEGE ALGEBRA IS PARAMOUNT BECAUSE IT BRIDGES THE GAP TO CALCULUS. MANY ADVANCED MATHEMATICAL CONCEPTS, SUCH AS THE CONVERGENCE OF FUNCTIONS AND THE APPROXIMATION OF FUNCTIONS, RELY HEAVILY ON THE PROPERTIES OF INFINITE SERIES. THEREFORE, GRASPING THE BASIC DEFINITIONS AND CALCULATION METHODS FOR FINITE AND INFINITE SERIES IS A CRITICAL STEP IN A STUDENT'S MATHEMATICAL JOURNEY. THIS INVOLVES UNDERSTANDING HOW TO SUM A GIVEN NUMBER OF TERMS AND, FOR INFINITE SERIES, WHETHER THAT SUM APPROACHES A SPECIFIC FINITE VALUE OR GROWS INDEFINITELY.

TYPES OF SERIES

SIMILAR TO SEQUENCES, SERIES ARE ALSO CLASSIFIED BASED ON THE TYPE OF SEQUENCE THEY SUM. THE MOST FREQUENTLY ENCOUNTERED TYPES IN COLLEGE ALGEBRA ARE ARITHMETIC SERIES AND GEOMETRIC SERIES, CORRESPONDING TO THE SUMS OF ARITHMETIC AND GEOMETRIC SEQUENCES, RESPECTIVELY. THE NATURE OF THE SERIES, PARTICULARLY WHETHER IT IS FINITE OR INFINITE, DICTATES THE METHODS USED TO FIND ITS SUM. INFINITE SERIES INTRODUCE THE CONCEPT OF CONVERGENCE, A CORNERSTONE OF CALCULUS.

THE METHODS FOR CALCULATING SUMS DIFFER SIGNIFICANTLY BETWEEN ARITHMETIC AND GEOMETRIC SERIES. FOR ARITHMETIC SERIES, THE SUM IS RELATIVELY STRAIGHTFORWARD TO CALCULATE. GEOMETRIC SERIES, ESPECIALLY INFINITE ONES, REQUIRE A DEEPER UNDERSTANDING OF THEIR BEHAVIOR, LEADING TO CONCEPTS OF CONVERGENCE AND DIVERGENCE, WHICH ARE CENTRAL TO ADVANCED MATHEMATICAL STUDY. RECOGNIZING THE TYPE OF SERIES IS THE CRUCIAL FIRST STEP IN DETERMINING THE APPROPRIATE STRATEGY FOR FINDING ITS SUM OR ANALYZING ITS PROPERTIES.

ARITHMETIC SERIES

AN ARITHMETIC SERIES IS THE SUM OF THE TERMS OF AN ARITHMETIC SEQUENCE. THE FORMULA FOR THE SUM OF THE FIRST n TERMS OF AN ARITHMETIC SERIES, DENOTED BY S_n , IS GIVEN BY $S_n = \frac{n}{2}(a_1 + a_n)$, WHERE a_1 IS THE FIRST TERM AND a_n IS THE n -TH TERM. ALTERNATIVELY, IF THE n -TH TERM IS NOT KNOWN DIRECTLY, BUT THE COMMON DIFFERENCE d IS, THE FORMULA CAN BE EXPRESSED AS $S_n = \frac{n}{2}(2a_1 + (n-1)d)$. THESE FORMULAS PROVIDE EFFICIENT WAYS TO CALCULATE THE SUM OF A FINITE NUMBER OF TERMS WITHOUT HAVING TO ADD EACH TERM INDIVIDUALLY.

CONSIDER THIS COLLEGE ALGEBRA EXAMPLE OF AN ARITHMETIC SERIES: FIND THE SUM OF THE FIRST 15 TERMS OF THE ARITHMETIC SEQUENCE STARTING WITH 4 AND HAVING A COMMON DIFFERENCE OF 6. HERE, $a_1 = 4$, $d = 6$, AND $n = 15$. WE CAN USE THE SECOND FORMULA: $S_{15} = \frac{15}{2}(2(4) + (15-1)6) = \frac{15}{2}(8 + 14 \cdot 6) = \frac{15}{2}(8 + 84) = \frac{15}{2}(92) = 15 \cdot 46 = 690$. THEREFORE, THE SUM OF THE FIRST 15 TERMS OF THIS ARITHMETIC SEQUENCE IS 690.

GEOMETRIC SERIES

A GEOMETRIC SERIES IS THE SUM OF THE TERMS OF A GEOMETRIC SEQUENCE. FOR A FINITE GEOMETRIC SERIES, THE SUM OF THE FIRST n TERMS, S_n , IS GIVEN BY THE FORMULA $S_n = \frac{a_1(1 - r^n)}{1 - r}$, WHERE a_1 IS THE FIRST TERM AND r IS THE COMMON RATIO, PROVIDED THAT $r \neq 1$. THIS FORMULA IS DERIVED BY MANIPULATING THE TERMS OF THE SERIES AND IS A POWERFUL TOOL FOR QUICKLY CALCULATING SUMS OF GEOMETRIC PROGRESSIONS.

LET'S LOOK AT A COLLEGE ALGEBRA EXAMPLE: CALCULATE THE SUM OF THE FIRST 8 TERMS OF THE GEOMETRIC SERIES WITH FIRST TERM $a_1 = 3$ AND COMMON RATIO $r = 2$. USING THE FORMULA: $S_8 = \frac{3(1 - 2^8)}{1 - 2} = \frac{3(1 - 256)}{-1} = \frac{3(-255)}{-1} = 3(255) = 765$. SO, THE SUM OF THE FIRST 8 TERMS IS 765. THIS FORMULA IS FUNDAMENTAL FOR SOLVING PROBLEMS INVOLVING THE SUMMATION OF GEOMETRIC PROGRESSIONS.

INFINITE GEOMETRIC SERIES

AN INFINITE GEOMETRIC SERIES IS THE SUM OF AN INFINITE NUMBER OF TERMS IN A GEOMETRIC SEQUENCE. THE SUM OF AN INFINITE GEOMETRIC SERIES EXISTS AND CONVERGES TO A FINITE VALUE IF AND ONLY IF THE ABSOLUTE VALUE OF THE COMMON RATIO $|r|$ IS LESS THAN 1 (I.E., $-1 < r < 1$). IF $|r| \geq 1$, THE SERIES DIVERGES, MEANING ITS SUM DOES NOT APPROACH A FINITE NUMBER. WHEN THE SERIES CONVERGES, ITS SUM, DENOTED BY S_{∞} , CAN BE CALCULATED USING THE FORMULA $S_{\infty} = \frac{a_1}{1 - r}$.

FOR A COLLEGE ALGEBRA EXAMPLE, CONSIDER THE INFINITE GEOMETRIC SERIES WHERE THE FIRST TERM $a_1 = 10$ AND THE COMMON RATIO $r = 0.5$. SINCE $|0.5| < 1$, THIS SERIES CONVERGES. USING THE FORMULA FOR THE SUM OF AN INFINITE GEOMETRIC SERIES: $S_{\infty} = \frac{10}{1 - 0.5} = \frac{10}{0.5} = 20$. THUS, THE SUM OF THIS INFINITE SERIES IS 20. THIS IS A CRUCIAL CONCEPT, AS IT ALLOWS US TO ASSIGN A FINITE VALUE TO AN UNENDING SUM, WHICH HAS WIDE-RANGING APPLICATIONS.

CONVERGENCE AND DIVERGENCE OF SERIES

THE CONCEPT OF CONVERGENCE AND DIVERGENCE IS CENTRAL TO THE STUDY OF INFINITE SERIES, PARTICULARLY IN COLLEGE ALGEBRA AS A PRECURSOR TO CALCULUS. A SERIES IS SAID TO CONVERGE IF THE SEQUENCE OF ITS PARTIAL SUMS APPROACHES A FINITE LIMIT. THE PARTIAL SUM S_n IS THE SUM OF THE FIRST n TERMS OF THE SERIES. IF $\lim_{n \rightarrow \infty} S_n = L$, WHERE L IS A FINITE NUMBER, THEN THE SERIES CONVERGES TO L . CONVERSELY, IF THE LIMIT DOES NOT EXIST OR IS INFINITE, THE SERIES DIVERGES.

FOR GEOMETRIC SERIES, THE CONDITION FOR CONVERGENCE IS STRAIGHTFORWARD: $|r| < 1$. HOWEVER, FOR OTHER TYPES OF SERIES (LIKE ARITHMETIC SERIES), THEY WILL ALWAYS DIVERGE IF THEY HAVE AN INFINITE NUMBER OF NON-ZERO TERMS. SEVERAL CONVERGENCE TESTS EXIST IN MORE ADVANCED MATHEMATICS, BUT IN COLLEGE ALGEBRA, THE FOCUS IS OFTEN ON RECOGNIZING THE CONVERGENCE OF GEOMETRIC SERIES AND UNDERSTANDING THE IMPLICATIONS OF DIVERGENCE. FOR EXAMPLE, AN INFINITE ARITHMETIC SERIES WITH A NON-ZERO COMMON DIFFERENCE WILL DIVERGE BECAUSE THE TERMS GROW OR SHRINK WITHOUT BOUND, AND THEIR SUM WILL ALSO GROW OR SHRINK INDEFINITELY.

APPLICATIONS OF SEQUENCES AND SERIES

SEQUENCES AND SERIES ARE NOT MERELY THEORETICAL CONSTRUCTS; THEY HAVE NUMEROUS PRACTICAL APPLICATIONS ACROSS VARIOUS FIELDS. IN FINANCE, FOR INSTANCE, THEY ARE USED TO MODEL COMPOUND INTEREST AND ANNUITIES, CALCULATING FUTURE VALUES AND LOAN PAYMENTS. THE CONCEPT OF GEOMETRIC SEQUENCES AND SERIES IS FUNDAMENTAL TO UNDERSTANDING HOW INVESTMENTS GROW OVER TIME. IN COMPUTER SCIENCE, SEQUENCES ARE USED IN ALGORITHMS FOR DATA SORTING AND SEARCHING, AND SERIES ARE EMPLOYED IN APPROXIMATIONS FOR FUNCTIONS AND IN SIGNAL PROCESSING.

IN PHYSICS AND ENGINEERING, SEQUENCES AND SERIES ARE ESSENTIAL FOR DESCRIBING PHENOMENA SUCH AS OSCILLATIONS, WAVE PROPAGATION, AND THE BEHAVIOR OF ELECTRICAL CIRCUITS. FOR EXAMPLE, FOURIER SERIES DECOMPOSE COMPLEX PERIODIC FUNCTIONS INTO SIMPLER SINUSOIDAL COMPONENTS, A TECHNIQUE VITAL IN ANALYZING SIGNALS AND SOLVING DIFFERENTIAL EQUATIONS. EVEN IN EVERYDAY LIFE, PATTERNS THAT CAN BE DESCRIBED BY SEQUENCES AND SERIES APPEAR IN NATURE, SUCH AS THE ARRANGEMENT OF LEAVES ON A STEM OR THE SPIRAL OF A SEASHELL, ILLUSTRATING THE PERVASIVE INFLUENCE OF THESE MATHEMATICAL CONCEPTS.

FREQUENTLY ASKED QUESTIONS ABOUT COLLEGE ALGEBRA EXAMPLES: SEQUENCES AND SERIES

Q: WHAT IS THE PRIMARY DIFFERENCE BETWEEN A SEQUENCE AND A SERIES?

A: A SEQUENCE IS AN ORDERED LIST OF NUMBERS, SUCH AS 2, 4, 6, 8. A SERIES IS THE SUM OF THE TERMS OF A SEQUENCE, SUCH AS $2 + 4 + 6 + 8$.

Q: HOW DO I IDENTIFY IF A SEQUENCE IS ARITHMETIC OR GEOMETRIC?

A: TO IDENTIFY AN ARITHMETIC SEQUENCE, CHECK IF THERE IS A CONSTANT DIFFERENCE BETWEEN CONSECUTIVE TERMS. TO IDENTIFY A GEOMETRIC SEQUENCE, CHECK IF THERE IS A CONSTANT RATIO BETWEEN CONSECUTIVE TERMS.

Q: WHAT IS THE FORMULA FOR THE SUM OF THE FIRST n TERMS OF AN ARITHMETIC SERIES?

A: THE FORMULA IS $S_n = \frac{n}{2}(a_1 + a_n)$ OR $S_n = \frac{n}{2}(2a_1 + (n-1)d)$, WHERE a_1 IS THE FIRST TERM, a_n IS THE n -TH TERM, n IS THE NUMBER OF TERMS, AND d IS THE COMMON DIFFERENCE.

Q: WHEN DOES AN INFINITE GEOMETRIC SERIES CONVERGE?

A: AN INFINITE GEOMETRIC SERIES CONVERGES IF THE ABSOLUTE VALUE OF ITS COMMON RATIO $|r|$ IS LESS THAN 1 (I.E., $-1 < r < 1$).

Q: WHAT IS THE FORMULA FOR THE SUM OF A CONVERGENT INFINITE GEOMETRIC SERIES?

A: THE FORMULA IS $S_{\infty} = \frac{a_1}{1 - r}$, WHERE a_1 IS THE FIRST TERM AND r IS THE COMMON RATIO.

Q: CAN AN ARITHMETIC SERIES HAVE A FINITE SUM IF IT HAS INFINITELY MANY TERMS?

A: NO, AN INFINITE ARITHMETIC SERIES WITH A NON-ZERO COMMON DIFFERENCE WILL ALWAYS DIVERGE. ITS SUM WILL EITHER APPROACH POSITIVE OR NEGATIVE INFINITY.

Q: WHERE MIGHT I ENCOUNTER SEQUENCES AND SERIES IN REAL-WORLD APPLICATIONS?

A: SEQUENCES AND SERIES ARE APPLIED IN FINANCE (COMPOUND INTEREST, ANNUITIES), COMPUTER SCIENCE (ALGORITHMS), PHYSICS (WAVE ANALYSIS, OSCILLATIONS), ENGINEERING (SIGNAL PROCESSING), AND EVEN IN PATTERNS FOUND IN NATURE.

Q: WHAT IS SIGMA NOTATION AND HOW IS IT USED WITH SERIES?

A: SIGMA NOTATION, REPRESENTED BY THE GREEK LETTER $\sum$, IS A CONCISE WAY TO WRITE A SERIES. IT SPECIFIES THE STARTING AND ENDING INDICES OF THE TERMS TO BE SUMMED AND THE FORMULA FOR GENERATING THOSE TERMS. FOR EXAMPLE, $\sum_{i=1}^n a_i$ REPRESENTS THE SUM OF THE FIRST n TERMS OF SEQUENCE a_i .

College Algebra Examples Sequences Series

College Algebra Examples Sequences Series

Related Articles

- [college algebra curriculum with roots of polynomials](#)
- [college algebra comprehensive study of advanced algebra](#)
- [college algebra curriculum development online](#)

[Back to Home](#)