

COLLISION THEORY CHEMICAL KINETICS

THE CORE OF UNDERSTANDING HOW FAST CHEMICAL REACTIONS OCCUR LIES WITHIN THE FASCINATING FRAMEWORK OF COLLISION THEORY CHEMICAL KINETICS. THIS FUNDAMENTAL PRINCIPLE HELPS US DECIPHER WHY SOME REACTIONS ARE LIGHTNING-FAST WHILE OTHERS CRAWL ALONG, ALL BY FOCUSING ON THE MOLECULAR INTERACTIONS THAT DRIVE THEM. WE'LL DELVE INTO THE ESSENTIAL CONDITIONS REQUIRED FOR A COLLISION TO BE EFFECTIVE, EXPLORE THE FACTORS THAT INFLUENCE REACTION RATES BASED ON THIS THEORY, AND UNDERSTAND HOW IT'S APPLIED IN VARIOUS CHEMICAL CONTEXTS. PREPARE TO GAIN A DEEPER INSIGHT INTO THE DYNAMIC WORLD OF MOLECULAR COLLISIONS AND THEIR IMPACT ON THE PACE OF CHEMICAL TRANSFORMATIONS.

TABLE OF CONTENTS

UNDERSTANDING COLLISION THEORY

KEY COMPONENTS OF EFFECTIVE COLLISIONS

FACTORS INFLUENCING REACTION RATES

APPLICATIONS OF COLLISION THEORY

BEYOND THE BASICS

UNDERSTANDING COLLISION THEORY

COLLISION THEORY IS A FOUNDATIONAL CONCEPT IN CHEMICAL KINETICS THAT PROVIDES A VISUAL AND MECHANISTIC EXPLANATION FOR HOW CHEMICAL REACTIONS HAPPEN. AT ITS HEART, THE THEORY POSTULATES THAT FOR A CHEMICAL REACTION TO OCCUR, REACTANT PARTICLES MUST COLLIDE WITH EACH OTHER. THIS MIGHT SOUND SIMPLE, BUT NOT ALL COLLISIONS LEAD TO A CHEMICAL TRANSFORMATION. IMAGINE A BUSY INTERSECTION: JUST BECAUSE CARS ARE PRESENT DOESN'T MEAN AN ACCIDENT WILL HAPPEN; THEY NEED TO MEET IN A SPECIFIC WAY AND AT A CERTAIN SPEED.

THIS THEORY WAS DEVELOPED TO BRIDGE THE GAP BETWEEN MACROSCOPIC OBSERVATIONS OF REACTION RATES AND THE MICROSCOPIC BEHAVIOR OF MOLECULES. IT'S A POWERFUL TOOL BECAUSE IT HELPS US PREDICT AND UNDERSTAND HOW CHANGES IN CONDITIONS, LIKE TEMPERATURE OR CONCENTRATION, WILL AFFECT THE SPEED OF A REACTION. WITHOUT COLLISION THEORY, THE STUDY OF REACTION RATES WOULD BE LARGELY EMPIRICAL, LACKING A THEORETICAL UNDERPINNING.

KEY COMPONENTS OF EFFECTIVE COLLISIONS

FOR A COLLISION BETWEEN REACTANT MOLECULES TO RESULT IN A CHEMICAL REACTION, TWO CRITICAL CONDITIONS MUST BE MET. THESE ARE THE CORNERSTONES OF COLLISION THEORY AND ARE ABSOLUTELY ESSENTIAL FOR UNDERSTANDING REACTION DYNAMICS. THINK OF THEM AS THE SPECIFIC REQUIREMENTS FOR TWO DANCERS TO SUCCESSFULLY PERFORM A COMPLEX MOVE TOGETHER – THEY NEED THE RIGHT TIMING AND THE RIGHT ORIENTATION.

SUFFICIENT ENERGY

THE FIRST CRUCIAL FACTOR IS THAT THE COLLIDING PARTICLES MUST POSSESS A MINIMUM AMOUNT OF KINETIC ENERGY. THIS THRESHOLD ENERGY IS KNOWN AS THE ACTIVATION ENERGY (E_a). IF THE COLLISION ENERGY IS LESS THAN THE ACTIVATION ENERGY, THE MOLECULES WILL SIMPLY BOUNCE OFF EACH OTHER WITHOUT UNDERGOING ANY CHEMICAL CHANGE, MUCH LIKE A GENTLE NUDGE THAT DOESN'T BUDGE A HEAVY OBJECT. THIS ENERGY IS REQUIRED TO OVERCOME THE EXISTING BONDS IN THE REACTANT MOLECULES AND TO ALLOW NEW BONDS TO FORM, ESSENTIALLY BREAKING DOWN THE OLD MOLECULAR STRUCTURE TO BUILD A NEW ONE.

THE DISTRIBUTION OF KINETIC ENERGIES AMONG MOLECULES IN A SAMPLE IS DESCRIBED BY THE MAXWELL-BOLTZMANN DISTRIBUTION. AT ANY GIVEN TEMPERATURE, THERE'S A RANGE OF MOLECULAR SPEEDS AND ENERGIES. ONLY THOSE COLLISIONS WHERE THE SUM OF THE KINETIC ENERGIES OF THE COLLIDING PARTICLES MEETS OR EXCEEDS THE ACTIVATION ENERGY HAVE THE

POTENTIAL TO LEAD TO A REACTION. INCREASING THE TEMPERATURE SHIFTS THIS DISTRIBUTION TOWARDS HIGHER ENERGIES, MEANING A LARGER FRACTION OF MOLECULES WILL POSSESS THE NECESSARY ACTIVATION ENERGY, THUS INCREASING THE LIKELIHOOD OF SUCCESSFUL COLLISIONS.

PROPER ORIENTATION

BEYOND JUST HAVING ENOUGH ENERGY, THE COLLIDING MOLECULES MUST ALSO COLLIDE IN THE CORRECT ORIENTATION. IMAGINE TRYING TO FIT TWO ODDLY SHAPED PUZZLE PIECES TOGETHER; THEY MIGHT HAVE ENOUGH FORCE TO CONNECT, BUT IF THEY'RE NOT ALIGNED PROPERLY, THEY WON'T SNAP INTO PLACE. SIMILARLY, REACTANT MOLECULES HAVE SPECIFIC GEOMETRIC ARRANGEMENTS THAT ALLOW THEIR REACTIVE SITES OR FUNCTIONAL GROUPS TO INTERACT. IF THE MOLECULES COLLIDE IN AN ORIENTATION THAT DOESN'T BRING THESE REACTIVE PARTS INTO PROXIMITY, THE COLLISION WILL BE INEFFECTIVE, REGARDLESS OF THE ENERGY INVOLVED.

THE PROBABILITY OF A COLLISION OCCURRING WITH THE CORRECT ORIENTATION IS OFTEN REPRESENTED BY A STERIC FACTOR OR ORIENTATION FACTOR (OFTEN DENOTED AS ' p '). THIS FACTOR ACCOUNTS FOR THE FACT THAT ONLY A FRACTION OF ALL COLLISIONS WILL HAVE THE FAVORABLE GEOMETRY FOR REACTION. FOR SOME REACTIONS, THIS ORIENTATION REQUIREMENT IS VERY STRICT, LEADING TO A SMALL STERIC FACTOR AND A SLOWER REACTION RATE. FOR OTHERS, THE REACTIVE SITES ARE MORE ACCESSIBLE, RESULTING IN A LARGER STERIC FACTOR AND A FASTER RATE.

FACTORS INFLUENCING REACTION RATES

COLLISION THEORY PROVIDES A POWERFUL LENS THROUGH WHICH TO EXAMINE THE VARIOUS FACTORS THAT INFLUENCE THE RATE OF A CHEMICAL REACTION. BY UNDERSTANDING HOW THESE FACTORS AFFECT THE FREQUENCY AND EFFECTIVENESS OF MOLECULAR COLLISIONS, WE CAN GAIN PRECISE CONTROL OVER CHEMICAL PROCESSES. LET'S EXPLORE THESE KEY INFLUENCERS AND HOW THEY TIE BACK TO THE FUNDAMENTAL PRINCIPLES OF COLLISION THEORY.

CONCENTRATION OF REACTANTS

THE CONCENTRATION OF REACTANTS PLAYS A DIRECT ROLE IN THE FREQUENCY OF COLLISIONS. IF YOU INCREASE THE NUMBER OF REACTANT PARTICLES IN A GIVEN VOLUME, THE CHANCES OF THESE PARTICLES BUMPING INTO EACH OTHER NATURALLY INCREASE. THINK OF A CROWDED ROOM VERSUS AN EMPTY ONE; YOU'RE MUCH MORE LIKELY TO BUMP INTO SOMEONE IN THE CROWDED SPACE. A HIGHER CONCENTRATION MEANS MORE FREQUENT COLLISIONS PER UNIT TIME. SINCE REACTION RATE IS PROPORTIONAL TO THE FREQUENCY OF EFFECTIVE COLLISIONS, INCREASING THE CONCENTRATION OF REACTANTS GENERALLY LEADS TO A FASTER REACTION RATE.

FOR INSTANCE, CONSIDER A REACTION BETWEEN TWO GASES. IF YOU DOUBLE THE PRESSURE OF ONE OR BOTH GASES, YOU EFFECTIVELY DOUBLE THEIR CONCENTRATION. THIS LEADS TO A DOUBLING OF THE COLLISION FREQUENCY, AND CONSEQUENTLY, THE REACTION RATE WILL INCREASE. THIS RELATIONSHIP IS OFTEN QUANTIFIED IN RATE LAWS, WHERE THE RATE IS EXPRESSED AS A FUNCTION OF REACTANT CONCENTRATIONS RAISED TO CERTAIN POWERS (ORDERS OF REACTION).

TEMPERATURE

TEMPERATURE IS ARGUABLY ONE OF THE MOST SIGNIFICANT FACTORS AFFECTING REACTION RATES, AND COLLISION THEORY EXPLAINS WHY. WHEN YOU INCREASE THE TEMPERATURE OF A SYSTEM, YOU INCREASE THE AVERAGE KINETIC ENERGY OF THE REACTANT MOLECULES. THIS HAS A DUAL EFFECT: FIRSTLY, MOLECULES MOVE FASTER, LEADING TO MORE FREQUENT COLLISIONS. SECONDLY, AND MORE IMPORTANTLY, A LARGER PROPORTION OF THESE COLLISIONS WILL POSSESS ENERGY EQUAL TO OR GREATER THAN THE ACTIVATION ENERGY, MAKING THEM EFFECTIVE COLLISIONS. A SMALL INCREASE IN TEMPERATURE CAN LEAD TO A SUBSTANTIAL INCREASE IN REACTION RATE.

THE ARRHENIUS EQUATION ELEGANTLY DESCRIBES THE RELATIONSHIP BETWEEN THE RATE CONSTANT (k), ACTIVATION ENERGY (E_a), AND TEMPERATURE (T). IT SHOWS THAT THE RATE CONSTANT, AND THUS THE REACTION RATE, INCREASES EXPONENTIALLY WITH TEMPERATURE. THIS IS BECAUSE, AS TEMPERATURE RISES, THE FRACTION OF MOLECULES CAPABLE OF OVERCOMING THE ACTIVATION ENERGY BARRIER INCREASES DRAMATICALLY, LEADING TO A SURGE IN EFFECTIVE COLLISIONS. THIS IS WHY MANY BIOLOGICAL PROCESSES, WHICH RELY ON ENZYME-CATALYZED REACTIONS, ARE HIGHLY SENSITIVE TO TEMPERATURE CHANGES; EVEN A FEW DEGREES CAN SIGNIFICANTLY ALTER THEIR SPEED.

SURFACE AREA

FOR REACTIONS INVOLVING SOLIDS, THE SURFACE AREA OF THE SOLID REACTANT IS A CRITICAL FACTOR. WHEN A REACTION OCCURS AT THE SURFACE OF A SOLID, ONLY THE PARTICLES ON THE EXPOSED SURFACE ARE AVAILABLE TO COLLIDE WITH OTHER REACTANTS. INCREASING THE SURFACE AREA MEANS EXPOSING MORE OF THE SOLID'S PARTICLES TO THE REACTION ENVIRONMENT. THIS IS LIKE HAVING MORE OPENINGS ON A BUILDING FOR PEOPLE TO ENTER; MORE ACCESS MEANS MORE INTERACTIONS.

BREAKING DOWN A SOLID INTO SMALLER PIECES, SUCH AS GRINDING A LARGE LUMP OF A REACTANT INTO A FINE POWDER, DRAMATICALLY INCREASES ITS SURFACE AREA. THIS ALLOWS FOR A MUCH GREATER NUMBER OF COLLISIONS BETWEEN THE REACTANT MOLECULES AT THE SURFACE AND THOSE IN THE SURROUNDING PHASE (LIQUID OR GAS), LEADING TO A SIGNIFICANTLY FASTER REACTION RATE. THINK ABOUT DISSOLVING SUGAR: GRANULATED SUGAR DISSOLVES MUCH FASTER THAN A SUGAR CUBE BECAUSE OF ITS INCREASED SURFACE AREA.

PRESENCE OF A CATALYST

A CATALYST IS A SUBSTANCE THAT INCREASES THE RATE OF A CHEMICAL REACTION WITHOUT ITSELF BEING CONSUMED IN THE PROCESS. COLLISION THEORY EXPLAINS HOW CATALYSTS ACHIEVE THIS BY PROVIDING AN ALTERNATIVE REACTION PATHWAY WITH A LOWER ACTIVATION ENERGY. IMAGINE A MOUNTAIN PASS THAT OFFERS A SHORTER, LESS STRENUOUS ROUTE OVER A MOUNTAIN COMPARED TO CLIMBING DIRECTLY OVER THE PEAK. A CATALYST ACTS LIKE THAT PASS.

BY LOWERING THE ACTIVATION ENERGY, A CATALYST ENSURES THAT A LARGER FRACTION OF MOLECULAR COLLISIONS POSSESS SUFFICIENT ENERGY TO BE EFFECTIVE AT A GIVEN TEMPERATURE. THIS DOESN'T NECESSARILY INCREASE THE FREQUENCY OF COLLISIONS, BUT IT DRASTICALLY INCREASES THE PROPORTION OF THOSE COLLISIONS THAT ACTUALLY LEAD TO PRODUCT FORMATION. CATALYSTS ARE VITAL IN MANY INDUSTRIAL PROCESSES, FROM THE HABER-BOSCH PROCESS FOR AMMONIA SYNTHESIS TO CATALYTIC CONVERTERS IN CARS, ENABLING REACTIONS TO PROCEED AT PRACTICAL RATES UNDER Milder CONDITIONS.

APPLICATIONS OF COLLISION THEORY

THE PRINCIPLES OF COLLISION THEORY ARE NOT JUST ABSTRACT ACADEMIC CONCEPTS; THEY HAVE PROFOUND AND PRACTICAL IMPLICATIONS ACROSS A WIDE SPECTRUM OF SCIENTIFIC AND INDUSTRIAL FIELDS. UNDERSTANDING HOW MOLECULAR COLLISIONS DICTATE REACTION RATES ALLOWS US TO DESIGN, OPTIMIZE, AND CONTROL CHEMICAL PROCESSES THAT ARE FUNDAMENTAL TO MODERN LIFE. IT'S THE GUIDING LIGHT FOR MANY CHEMISTS AND ENGINEERS.

IN THE REALM OF INDUSTRIAL CHEMISTRY, COLLISION THEORY IS ESSENTIAL FOR OPTIMIZING REACTION YIELDS AND MINIMIZING REACTION TIMES. FOR EXAMPLE, IN THE PRODUCTION OF PHARMACEUTICALS, PRECISE CONTROL OVER REACTION CONDITIONS IS PARAMOUNT. BY MANIPULATING TEMPERATURE, CONCENTRATION, AND THE USE OF CATALYSTS, CHEMISTS CAN ENSURE THAT DESIRED REACTIONS PROCEED EFFICIENTLY AND SELECTIVELY, WHILE MINIMIZING THE FORMATION OF UNWANTED BYPRODUCTS. THIS DIRECTLY TRANSLATES TO COST SAVINGS AND IMPROVED PRODUCT QUALITY.

FURTHERMORE, IN ENVIRONMENTAL SCIENCE, UNDERSTANDING COLLISION THEORY HELPS IN DESIGNING PROCESSES FOR POLLUTION CONTROL. CATALYTIC CONVERTERS IN VEHICLES, FOR INSTANCE, RELY ON CATALYSTS TO BREAK DOWN HARMFUL EXHAUST

GASES LIKE CARBON MONOXIDE AND NITROGEN OXIDES INTO LESS TOXIC SUBSTANCES. THE EFFICIENCY OF THESE CONVERTERS IS DIRECTLY LINKED TO HOW EFFECTIVELY THE CATALYST FACILITATES COLLISIONS BETWEEN POLLUTANT MOLECULES AND REACTIVE SPECIES. SIMILARLY, IN WASTE TREATMENT PROCESSES, REACTION RATES CAN BE TUNED BY ADJUSTING CHEMICAL CONDITIONS BASED ON COLLISION THEORY PRINCIPLES TO EXPEDITE THE BREAKDOWN OF HAZARDOUS MATERIALS.

THE THEORY ALSO UNDERPINS ADVANCEMENTS IN MATERIALS SCIENCE. THE SYNTHESIS OF NEW MATERIALS WITH SPECIFIC PROPERTIES OFTEN INVOLVES COMPLEX CHEMICAL REACTIONS. BY UNDERSTANDING THE KINETICS OF THESE REACTIONS, RESEARCHERS CAN TAILOR THE SYNTHESIS PROCESS TO PRODUCE MATERIALS WITH DESIRED CHARACTERISTICS, SUCH AS STRENGTH, CONDUCTIVITY, OR REACTIVITY. FOR INSTANCE, CONTROLLING THE RATE OF POLYMERIZATION REACTIONS, GOVERNED BY COLLISION THEORY, IS CRUCIAL FOR PRODUCING POLYMERS WITH SPECIFIC MOLECULAR WEIGHTS AND PROPERTIES, VITAL FOR PLASTICS, FIBERS, AND ADVANCED COMPOSITES.

BEYOND THE BASICS

WHILE COLLISION THEORY PROVIDES AN EXCELLENT FOUNDATIONAL MODEL FOR UNDERSTANDING REACTION RATES, IT'S IMPORTANT TO ACKNOWLEDGE THAT IT HAS CERTAIN LIMITATIONS AND THAT MORE SOPHISTICATED THEORIES HAVE BEEN DEVELOPED TO REFINE OUR UNDERSTANDING. THE BASIC PREMISE OF COLLISIONS IS ROBUST, BUT THE REALITY OF MOLECULAR INTERACTIONS CAN BE MORE NUANCED THAN THE INITIAL MODEL SUGGESTS. IT'S LIKE UNDERSTANDING THAT YOU NEED TO HIT A BASEBALL TO MAKE IT FLY, BUT THEN LEARNING ABOUT SPIN, TRAJECTORY, AND AIR RESISTANCE FOR A MORE COMPLETE PICTURE.

ONE OF THE KEY SIMPLIFICATIONS IN BASIC COLLISION THEORY IS THE TREATMENT OF MOLECULES AS HARD SPHERES AND THE ASSUMPTION THAT ALL COLLISIONS WITH SUFFICIENT ENERGY AND PROPER ORIENTATION ARE EQUALLY LIKELY TO LEAD TO A REACTION. IN REALITY, MOLECULES ARE COMPLEX ENTITIES WITH INTRICATE ELECTRONIC STRUCTURES. THE ACTUAL PROCESS OF BOND BREAKING AND BOND FORMATION INVOLVES THE MOVEMENT OF ELECTRONS AND THE REARRANGEMENT OF ATOMS IN A MUCH MORE DYNAMIC AND QUANTUM MECHANICAL FASHION THAN SIMPLY COLLIDING SPHERES SUGGEST. TRANSITION STATE THEORY, FOR EXAMPLE, INTRODUCES THE CONCEPT OF AN ACTIVATED COMPLEX, A HIGH-ENERGY INTERMEDIATE STATE THAT MOLECULES MUST PASS THROUGH TO BECOME PRODUCTS.

FURTHERMORE, COLLISION THEORY OFTEN ASSUMES THAT THE REACTION OCCURS IMMEDIATELY UPON A SUCCESSFUL COLLISION. HOWEVER, IN SOME CASES, THERE MIGHT BE A SHORT DELAY, OR THE REACTION MIGHT INVOLVE A SERIES OF ELEMENTARY STEPS RATHER THAN A SINGLE DIRECT COLLISION. THE THEORY ALSO DOESN'T EXPLICITLY ACCOUNT FOR SOLVENT EFFECTS IN SOLUTION-PHASE REACTIONS, WHERE THE SURROUNDING SOLVENT MOLECULES CAN SIGNIFICANTLY INFLUENCE THE COLLISION DYNAMICS AND ACTIVATION ENERGY. DESPITE THESE REFINEMENTS, THE CORE PRINCIPLES OF COLLISION THEORY REMAIN INDISPENSABLE FOR GRASPING THE FUNDAMENTAL DRIVERS OF CHEMICAL REACTION RATES AND CONTINUE TO SERVE AS A VITAL STEPPING STONE TO MORE ADVANCED KINETIC MODELS.

Q: WHAT IS THE PRIMARY CONCEPT OF COLLISION THEORY IN CHEMICAL KINETICS?

A: THE PRIMARY CONCEPT OF COLLISION THEORY IN CHEMICAL KINETICS IS THAT CHEMICAL REACTIONS OCCUR WHEN REACTANT PARTICLES COLLIDE WITH SUFFICIENT ENERGY AND IN THE CORRECT ORIENTATION TO BREAK EXISTING BONDS AND FORM NEW ONES.

Q: WHAT ARE THE TWO ESSENTIAL CONDITIONS FOR A COLLISION TO BE CONSIDERED "EFFECTIVE" ACCORDING TO COLLISION THEORY?

A: THE TWO ESSENTIAL CONDITIONS FOR AN EFFECTIVE COLLISION ARE THAT THE COLLIDING PARTICLES MUST POSSESS A MINIMUM AMOUNT OF KINETIC ENERGY, KNOWN AS THE ACTIVATION ENERGY, AND THEY MUST COLLIDE WITH THE PROPER ORIENTATION TO ALLOW REACTIVE SITES TO INTERACT.

Q: HOW DOES INCREASING THE TEMPERATURE AFFECT THE RATE OF A CHEMICAL REACTION BASED ON COLLISION THEORY?

A: INCREASING THE TEMPERATURE INCREASES THE AVERAGE KINETIC ENERGY OF REACTANT MOLECULES, LEADING TO MORE FREQUENT COLLISIONS AND, MORE IMPORTANTLY, A LARGER FRACTION OF COLLISIONS POSSESSING ENERGY EQUAL TO OR GREATER THAN THE ACTIVATION ENERGY, THUS INCREASING THE REACTION RATE.

Q: EXPLAIN THE ROLE OF CONCENTRATION IN COLLISION THEORY.

A: HIGHER CONCENTRATIONS OF REACTANTS LEAD TO MORE FREQUENT COLLISIONS BETWEEN REACTANT PARTICLES PER UNIT TIME. THIS INCREASED COLLISION FREQUENCY, IN TURN, INCREASES THE LIKELIHOOD OF EFFECTIVE COLLISIONS AND A FASTER REACTION RATE.

Q: WHAT IS ACTIVATION ENERGY (E_a) IN THE CONTEXT OF COLLISION THEORY?

A: ACTIVATION ENERGY (E_a) IS THE MINIMUM AMOUNT OF ENERGY THAT REACTANT PARTICLES MUST POSSESS FOR A COLLISION TO BE SUCCESSFUL AND LEAD TO A CHEMICAL REACTION. IT REPRESENTS THE ENERGY BARRIER THAT MUST BE OVERCOME.

Q: HOW DOES A CATALYST WORK ACCORDING TO COLLISION THEORY?

A: A CATALYST INCREASES THE RATE OF A REACTION BY PROVIDING AN ALTERNATIVE REACTION PATHWAY WITH A LOWER ACTIVATION ENERGY. THIS MEANS THAT AT THE SAME TEMPERATURE, A GREATER PROPORTION OF COLLISIONS WILL HAVE ENOUGH ENERGY TO BE EFFECTIVE.

Q: WHY IS THE ORIENTATION OF COLLIDING MOLECULES IMPORTANT IN COLLISION THEORY?

A: THE ORIENTATION OF COLLIDING MOLECULES IS CRUCIAL BECAUSE THE REACTIVE PARTS OF THE MOLECULES MUST COME INTO CONTACT FOR A REACTION TO OCCUR. IF MOLECULES COLLIDE WITH INCORRECT GEOMETRY, THE COLLISION WILL BE INEFFECTIVE, EVEN IF IT HAS SUFFICIENT ENERGY.

Q: CAN COLLISION THEORY EXPLAIN WHY SOME REACTIONS ARE VERY SLOW?

A: YES, COLLISION THEORY CAN EXPLAIN SLOW REACTIONS IF THEY HAVE A HIGH ACTIVATION ENERGY (MEANING FEW COLLISIONS HAVE ENOUGH ENERGY) OR A STRICT ORIENTATION REQUIREMENT (MEANING FEW COLLISIONS OCCUR WITH THE CORRECT GEOMETRY).

[Collision Theory Chemical Kinetics](#)

Collision Theory Chemical Kinetics

Related Articles

- [college algebra unit topic topic lesson themes](#)
- [colonial diseases impact us](#)
- [college physics exam review](#)

[Back to Home](#)